



# TP-Link AV600 2-port Passthrough Starter Kit

Brand : TP-Link

Product code: TL-PA4020P KIT V1.20

Product name : AV600 2-port Passthrough Starter Kit

600Mbps, 300 M, 5.82W, 95 x 58 x 42 mm

TP-Link AV600 2-port Passthrough Starter Kit. Maximum data transfer rate: 600 Mbit/s, Networking standards: IEEE 802.3, IEEE 802.3u, Power plug: Type G. Power consumption (typical): 5.2 W, Power consumption (standby): 0.92 W, AC input voltage: 220 V. Product colour: White, LED indicators: LAN, Power, Certification: CE, FCC, RoHS. Windows operating systems supported: Windows 2000, Windows 2000 Professional, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7.... Width: 95 mm, Depth: 58 mm, Height: 42 mm



Performance		System requirements	
Maximum data transfer rate *	600 Mbit/s	Windows operating systems supported	Windows 2000, Windows 2000 Professional, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
Ethernet LAN *	✓		
Ethernet LAN data rates	10,100 Mbit/s		
Ethernet LAN (RJ-45) ports	2		
Networking standards *	IEEE 802.3, IEEE 802.3u		
Power plug *	Type G		
Built-in power socket *	✓		
Modulation	OFDM		
Security algorithms	128-bit AES		
Maximum operating distance	300 m		
Plug and Play	✓	Mac operating systems supported	✓
Power		Operational conditions	
Power consumption (typical)	5.2 W	Operating temperature (T-T)	0 - 40 °C
Power consumption (standby)	0.92 W	Storage temperature (T-T)	-40 - 70 °C
AC input voltage	220 V	Operating relative humidity (H-H)	10 - 90%
AC input frequency	50 Hz	Storage relative humidity (H-H)	5 - 90%
Design		Weight & dimensions	
LED indicators	LAN, Power	Width	95 mm
Product colour *	White	Depth	58 mm
Certification	CE, FCC, RoHS	Height	42 mm
		Technical details	
		Sustainability certificates	RoHS

### Packaging content

Quantity per pack *	2 pc(s)
Quick installation guide	✓
Cables included	LAN (RJ-45)



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.